# Maersk Line Equipment guide We create opportunities in global commerce





## Dry freight containers

Our dry containers come in several sizes and designs:

- 20' with payload up to 28.2 metric tons
- 40' 8' 6" with payload up to 28.8 metric tons
- 45′ 9′ 6″ high with a total capacity of 85 cubic metres

We offer various types of extra equipment:

- Hanger beams which allow transport of garments on hangers without further packing
- Lashing bars and lashing rings to give your cargo additional security

Size	Door openings* mm feet / inches			rnal dimensio mm feet / inches	INS*		Volume* m3		
feet / inches	Width	Height	Length	Width	Height	Max. gross	Tare	Max. payload	cubic feet
<b>20 standard</b>	2,339	2,274	5,896	2,350	2,393	30,480	2,280	28,200	33
20' x 8' x 8'6"	7′ 8 1/16″	7' 5 1/2"	19' 4 1/8"	7' 8 1/2"	7' 10 3/16"	67,200	5,030	62,170	1,165
<b>40 standard</b>	2,340	2,274	12,032	2,350	2,393	32,500	3,700	28,800	67
40' x 8' x 8'6"	7' 8 1/8"	7' 5 1/2"	39' 5 11/16"	7' 8 1/2"	7' 10 3/16"	71,650	8,157	63,493	2,366
<b>40 high</b>	2,340	2,577	12,032	2,350	2,697	32,500	3,880	28,620	76
40' x 8' x 9'6"	7′ 8 1/8″	8' 5 7/16"	39' 5 11/16"	7' 8 1/2"	8' 10 1/8"	71,650	8,554	63,100	2,684
<b>45 high</b>	2,340	2,585	13,556	2,352	2,698	32,500	4,900	27,600	85
45' x 8' x 9'6"	7′ 8 1″	8' 5 12"	44' 5 11"	7′ 8 9	8′ 10 3″	71,650	10,803	60,848	3,036

\*Dimensions vary within container series. For dimension of specific units, please contact your nearest Maersk Line representative.



#### **Reefer containers**

Maersk Line has been at the forefront of refrigerated transport since 1936. Our first refeer container was manufactured in 1964 and established a trend of technological innovation that has seen Maersk Line become the largest carrier of refrigerated container cargo in the world. Our Controlled Atmosphere containers, such as StarFresh, StarVent and Super Freezer, are examples of how our experience and industry insight directly benefit our customers. We have put together a large team of dedicated reefer specialists from around the globe to help you prepare refrigereated cargo for shipment and provide detailed information regarding our specialised reefer containers.

Size	Door openings* mm feet / inches		Intern fe	Weight* kg lb			Volume* m3		
feet / inches	Width	Height	Length	Width	Height	Max. gross	Tare	Max. payload	cubic feet
<b>20 standard</b>	2,290	2,212	5,451	2,290	2,167	30,480	2,990	27,490	27
20' x 8' x 8'6"	7' 6 1/8″	7' 3 1/16"	17' 10 9/16"	7' 6 1/8"	7' 1 5/16"	67,200	6,591	60,600	953
<b>40 high cube</b>	2,276	2,471	11,580	2,275	2,415	34,000	4,520	29,480	67.5
40' x 8' x 8'6"	7' 5 9/16"	8' 1 1/14"	37' 11 7/8"	7' 11 1/6"	7' 11 1/6"	74,957	9,965	64,992	2,384
<b>40 high Starfresh</b>	2,278	2,473	11,578	2,280	2,425	34,000	4,600	29,400	64
40' x 8' x 9'6"	7' 5 11/16"	8' 1 5/16"	37' 11 13/16"	7' 5 3/4"	7' 11 7/16"	74,957	10,140	64,992	2,261
<b>40 high Starfresh Plus</b>	2,278	2,473	11,578	2,280	2,425	33,000	4,800	28,200	64
40' x 8' x 9'6"	7' 5 11/16"	8′ 1 5/16″	37' 11 13/16"	7' 5 3/4"	7' 11 7/16"	72,753	10.582	62,170	2,261
<b>40 Magnum</b>	2,276	2,471	11,578	2,280	2,450	34,000	4,620	29,380	64
40' x 8' x 9'6"	7' 5 9/16"	8' 1 1/4"	37' 11 13/16"	7' 5 3/4"	8' 10 7/16"	74,957	10.185	64,772	2,261
<b>40 high StarVent</b>	2,276	2,496	11,578	2,268	2,426	34,000	4,350	29,650	63
40' × 8' × 9'6"	7' 5 9/16"	8' 2 1/4"	37' 11 13/16"	7' 5 1/4"	7′ 11 1/2″	74,957	9,590	65,370	2,225
<b>40 high Super Freezer</b>	2,278	2,473	11,578	2,188	2,380	34,000	4,710	29,290	60.3
40' x 8' x 9'6"	7' 5 11/16"	8' 1 5/16"	37' 11 13/16"	7' 2 1/8"	7' 9 11/16"	74,957	10,384	64,573	2,129

\*Dimensions vary within container series. For dimension of specific units, please contact your nearest Maersk Line representative.



### **Flat racks**

Maersk Line has specific equipment for heavy cargo that requires special attention, or does not fit into a standard container. We provide flat racks in length of 20' and 40', with fixed or collapsible end-walls.

This equipment is suitable for top or side loading, and ideal for items such as heavy machinery, pipes and boats.



Size	Internal dimensions* mm feet / inches			m	etween* m inches	Max width* mm feet / inches	Weight* kg Ib		
feet / inches	Length	Width	Height	Headers	Corner posts angle		Max. gross	Tare	Max. payload
<b>40 fixed corner FR</b>	12,192	2,438	1,940	12,080	11,796	2,114	40,000	5,500	34,500
40' x 8' x 8'6"	40'	8'	6' 4 3/8"	39' 7 9/16"	38' 8 3/8"	6' 11 3/16"	88,183	12,125	76,058
<b>40 flush fold FR</b>	12,192	2,438	1,940	12,058	11,662	2,224	40,000	5,500	34,500
40' × 8' × 8'6"	40'	8'	6' 4 3/8"	39' 6 11/16"	38′ 3 1/8″	7' 3 1/2"	88,183	12,125	76,058
<b>40 high</b>	12,192	2,438	2,260	12,058	11,662	2,224	52,500	5,300	47,200
40' x 8' x 9'6"	40	8'	7′ 4 29/30″	39' 6 11/16"	38' 3 1/8"	7' 3 1/2"	111,741	11,684	104,056

\*Dimensions vary within container series. For dimension of specific units, please contact your nearest Maersk Line representative.

#### Open tops

Our special open top containers are available in lengths of 20' and 40' and have been designed for over-sized cargo that does not fit into a standard container.

They are equipped with removable roof bows and tarpaulin covers, and the cargo can easily be secured with lashing bars and bull rings.



	Size	Internal dimensions* mm feet / inches			Door openings* mm feet / inches		Top opening* mm feet / inches		Weight* kg lb		
	feet / inches	Length	Width	Height	Width	Height	Length	Width	Max. gross	Tare	Max. payload
	<b>20 open top</b>	5,919	2,346	2,286	2,286	2,253	5,490	2,223	30,480	2,280	28,000
	20' x 8' x 8'6"	19' 5"	7' 8 5/16"	7' 6"	7'6"	7′ 4 11/16″	18' 1/16"	7' 3 1/2"	67,196	5,027	61,728
	<b>40 open top</b>	12,192	2,338	2,289	2,289	2,253	11,810	2,223	32,700	4,000	28,700
	40' x 8' x 8'6"	40'	7' 8″	7' 6 1/16"	7' 6 1/16"	7′ 4 11/16″	38′ 8 25/26″	7' 3 1/2"	72,090	8,818	63,272
	<b>40 open top</b>	12,192	2,348	2,653	2,388	2,580	11,810	2,223	30,480	4,000	26,480
	40' × 8' × 9'6"	40'	7' 8 3/8″	8' 8 4/9"	7' 8"	8' 5 9/12"	38' 825/26"	7' 3 1/2″	67,196	8,818	58,377

\*Dimensions vary within container series. For dimension of specific units, please contact your nearest Maersk Line representative.